



### Overview

The HP SATA optical drives for HP ProLiant servers are offered with an industry-standard SATA interface and are supported on most major operating systems.


The DVD RW drive will be capable of reading DVD 4.7 GB through 8.5 GB media. It will also be able to read standard stamped, CD-R, and CD-RW media. This drive supports writing to CD-R, CD-RW, DVD +R/RW, and DVD -R/RW media via software utilities. For Microsoft® operating systems, this is available by installing the included Roxio software disk. For other operating systems, an operating system-specific software utility is required for writing to media.



HP Half-Height SATA DVD RW Optical Drive



HP Slim SATA DVD RW Optical Drive



HP 9.5mm SATA DVD RW Optical Drive

---

### What's New

- All new Jackblack DVD RW Optical Drives with new bezel color that matches with the new Gen8 Servers.
-

### Overview

### Models

HP Half-Height SATA DVD RW JackBlack Optical Drive	624192-B21
HP 12.7mm Slim SATA DVD RW JackBlack Optical Drive	652235-B21
HP 9.5mm SATA DVD RW JackBlack Optical Drive	652241-B21
HP Half-Height SATA DVD-RW Optical Drive	447328-B21
HP Slim 12.7mm SATA DVD-RW Optical Drive	481043-B21
HP 9.5mm SATA DVD-RW Optical Drive	481047-B21

### Kit Contents

- SATA DVD RW drive
- Installation guide
- Warranty card
- Roxio software disk
- SATA data and power cables

### Product Features

- Higher capacity writable optical drive utilizing DVD and CD media

### Compatibility

HP Half-Height SATA DVD ProLiant ML (expansion-optimized):  
RW JackBlack Optical Drive

624192-B21

- HP ProLiant ML350p Gen8

ProLiant MicroServer (Just Right First Server):

- HP ProLiant MicroServer

**NOTE:** This is a list of supported servers. Some may be discontinued.

HP 12.7mm Slim SATA  
DVD RW JackBlack  
Optical Drive

652235-B21

ProLiant DL (rack-optimized):

- HP ProLiant DL380p Gen8

**NOTE:** This is a list of supported servers. Some may be discontinued.

HP 9.5mm SATA DVD RW ProLiant DL (rack-optimized):  
JackBlack Optical Drive

652241-B21

- HP ProLiant DL360p Gen8

**NOTE:** This is a list of supported servers. Some may be discontinued.

HP Half-Height SATA  
DVD-RW Optical Drive

447328-B21

ProLiant DL (rack-optimized):

- HP ProLiant DL370 G6

ProLiant ML (expansion-optimized):

- HP ProLiant ML110 G5
- HP ProLiant ML110 G6
- HP ProLiant ML110 G7



### Overview

- HP ProLiant ML115 G5
- HP ProLiant ML150 G5
- HP ProLiant ML150 G6
- HP ProLiant ML310 G5p
- HP ProLiant ML330 G6
- HP ProLiant ML350 G5
- HP ProLiant ML350 G6
- HP ProLiant ML370 G6

**NOTE:** This is a list of supported servers. Some may be discontinued.

---

HP Slim 12.7mm SATA  
DVD-RW Optical Drive  
481043-B21

#### ProLiant DL (rack-optimized):

- HP ProLiant DL120 G5
- HP ProLiant DL180 G5
- HP ProLiant DL180 G6
- HP ProLiant DL320 G5p
- HP ProLiant DL370 G6
- HP ProLiant DL380 G6
- HP ProLiant DL380 G7
- HP ProLiant DL385 G5p
- HP ProLiant DL385 G6
- HP ProLiant DL385 G7
- HP ProLiant DL580 G5
- HP ProLiant DL580 G7
- HP ProLiant DL585 G7
- HP ProLiant DL980 G7

#### ProLiant ML (expansion-optimized):

- HP ProLiant ML370 G6

**NOTE:** This is a list of supported servers. Some may be discontinued.

---

HP 9.5mm SATA DVD-RW ProLiant DL (rack-optimized):  
Optical Drive  
481047-B21

- HP ProLiant DL120 G6
- HP ProLiant DL120 G7
- HP ProLiant DL160 G6
- HP ProLiant DL160se G6
- HP ProLiant DL165 G7
- HP ProLiant DL320 G5p
- HP ProLiant DL320 G6

**NOTE:** 4 HDD Models only.

**NOTE:** This is a list of supported servers. Some may be discontinued.

---



### Overview

#### Warranty

The warranty for this device is 1 year parts only. Maximum: The remaining warranty of the HP server product in which it is installed (to a maximum three-year limited warranty).

- Response - Upgrade on-site response from next business day to same day 4 hours
- Coverage - Extend hours of coverage from 9 hours x 5 days to 24 hours x 7 days
- Duration - Select duration of coverage for a period of 1, 3, or 5 years

Warranty upgrade options can come in the form of Care Packs, which are sold at the HP System level this product attaches too.



### Service and Support

#### Service and Support

##### HP Technology Services

HP Technology Services offers you consultants and support experts to solve your most complex infrastructure problems. We help keep your business running, boost availability, and avoid downtime.

##### Protect your business beyond warranty with HP Care Pack Services

When you buy HP Options, it's also a good time to think about what level of service you may need. HP Care Pack services provide total care and support expertise with committed response choices designed to meet your IT and business need.

HP Foundation Care services deliver scalable support-packages for HP industry-standard servers and software. You can choose the type and level of service that is most suitable for your business needs. New to this portfolio is HP Collaborative Support. If you are running business critical environments, HP offers Proactive Care or Critical Advantage. These services help you deliver high levels of application availability through proactive service management and advanced technical response.

Here is the support service recommendation from the Foundation Care and Proactive Care portfolio. For customized support service solution, HP can work with you to tailor a service solution for your unique support requirements using broader services portfolio of Foundation Care and Proactive Care.

---

### Recommended HP Care Pack Services for optimal satisfaction with your HP product

#### Recommended Services

##### 3-Year HP 24x7 4 hour Response, Hardware Support Onsite Service

Provides you with rapid remote support and if required an HP authorized representative who will arrive on site any time and day of the year to begin hardware maintenance service within 4 hours of the service request being logged.

<http://h20195.www2.hp.com/V2/GetPDF.aspx/5982-6547EEE.pdf>

OR

##### 3-Year HP 24x7 4 hour Response, HP Collaborative Support

Offers customers a single point of contact for server problem diagnosis, hardware problem resolution, and basic software problem diagnosis, fault isolation, and resolution if available to HP. If the problem is with HP HW, the representative will arrive on site any time and day of the year to begin hardware maintenance service within 4 hours of the service request being logged. In case, the issue is with HP or supported third-party software product and cannot be resolved by applying known fixes, HP will contact the third-party vendor and create a problem incident on your behalf.

##### HP ProLiant Server Hardware Installation

Provides for the basic hardware installation of HP branded servers, storage devices and networking options to assist you in bringing your new hardware into operation in a timely and professional manner

<http://h20195.www2.hp.com/V2/GetPDF.aspx/5981-9356EN.pdf>



### Service and Support

#### Related HP Care Pack Services to enhance your HP product experience

##### Related Services

##### **3-Year HP 24x7 4 hour Response, Proactive Care or Critical Advantage**

Helps optimize your systems and delivers high levels of application availability through proactive service management and advanced technical response. A skilled Technical Manager will own your query or issue end to end until resolved, delivering a single point of contact for you

<http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA3-2140ENW.pdf>

OR

##### **3-Year HP 6-hour Onsite Call-to-Repair, HP Collaborative Support**

Offers customers a single point of contact for server problem diagnosis, hardware problem resolution to return the hardware in operating condition within 6 hours of the initial service request to the HP Global Solution Center, and basic software problem diagnosis, fault isolation, and resolution if available to HP. In case, the issue is with HP or supported third-party software product and cannot be resolved by applying known fixes, HP will contact the third-party vendor and create a problem incident on your behalf.

##### **HP Proactive Select Service**

Provides a flexible way to purchase HP best-in-class consultancy and technical services. You can buy Proactive Select Service Credits when you purchase your hardware and then use the credits over the next 12 months.

<http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA2-3842ENN.pdf>

---

##### Insight Remote Support

Provides 24 X 7 remote monitoring, proactive notifications, and problem resolution. Learn more

<http://www.hp.com/go/insightremotesupport>

---

##### HP Support Center

Personalized online support portal with access to information, tools and experts to support HP business products. Submit support cases online, chat with HP experts, access support resources or collaborate with peers. Learn more <http://www.hp.com/go/hpsc>

HP's Support Center Mobile App\* allows you to resolve issues yourself or quickly connect to an agent for live support. Now, you can get access to personalized IT support anywhere, anytime.

HP Insight Remote Support and HP Support Center are available at no additional cost with a HP warranty, HP Care Pack or HP contractual support agreement.

\*HP<sup>®</sup> Support Center Mobile App is subject to local availability

---

##### Parts and materials

HP will provide HP-supported replacement parts and materials necessary to maintain the covered hardware product in operating condition, including parts and materials for available and recommended engineering improvements. Supplies and consumable parts will not be provided as part of this service; standard warranty terms and conditions apply. Parts and components that have exceeded their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual or the technical product data sheet will not be provided, repaired or replaced as part of this service.

---



### Service and Support

#### Warranty / Service Coverage

For ProLiant servers and storage systems, this service covers HP-branded hardware options qualified for the server, purchased at the same time or afterward, internal to the enclosure, as well as external monitors up to 22" and tower UPS products; these items will be covered at the same service level and for the same coverage period as the server unless the maximum supported lifetime and/or the maximum usage limitation has been exceeded. Coverage of the UPS battery is not included; standard warranty terms and conditions apply.

The defective media retention service feature option applies only to Disk or eligible SSD/Flash Drives replaced by HP due to malfunction. It does not apply to any exchange of Disk or SSD/Flash Drives that have not failed. SSD/Flash Drives that are specified by HP as consumable parts and/or that have exceeded maximum supported lifetime and/or the maximum usage limit as set forth in the manufacturer's operating manual or the technical data sheet are not eligible for the defective media retention service feature option.

---

#### For more information

To learn more on services for HP ESSN Options, please contact your HP sales representative or HP Authorized Channel Partner. Or visit: <http://www.hp.com/services/proliant> or [www.hp.com/services/bladesystem](http://www.hp.com/services/bladesystem)



### Technical Specifications

#### HP Half-Height SATA DVD RW Optical Drive (including Jackblack)

<b>Shipping Dimensions</b> (H x W x D)	6.0 x 9.88 x 10.88 in (15.24 x 25.1 x 27.64 cm)			
<b>Drive Dimensions</b> (H x W x D)	1.62 x 5.75 x 7.8 inches (4.13 x 14.6 x 20 cm)			
<b>Disk</b>	Applicable Disk	DVD-ROM DVD-R DVD-R DL DVD-RW DVD+R DVD+R DL DVD+RW CD-ROM XA CD-ROM Mode-1 data disc CD-ROM Mode-2 data disc CD Audio disc CD-Extra CD-RW CD-R Photo CD CD-I CD-DA		
	Capacity	DVD-ROM	DVD-SL DVD-DL Double Sided	4.7 GB/side 8.5 GB/side 9.40 GB
		DVD+/-R DVD +/-RW CD-ROM	Mode-1 Mode-2	4.7 GB/side 4.7 GB/side 650 MB (550 MB) 742 MB (640 MB)
	Block Size	DVD CD		2,048 bytes 2,352 (Mode-0) 2352, 2340, 2336, 2048 bytes (Mode-1) 2352, 2340, 2336, 2048 bytes (Mode-2)
	Diameter	120 mm, 80 mm (with adapter at vertical mounting mode)		
<b>Loading Mechanism</b>	Tray type			
<b>Interface</b>	SATA 1.5			
<b>Access Times</b> (typical)	Random	DVD-ROM < 140 ms, CD-ROM < 125 ms		
	Full-Stroke	DVD-ROM < 250 ms, CD-ROM < 210 ms		
<b>Data Transfer Rate</b> (sustained)	DVD-ROM	Single Layer	21.6 MB/sec. Max.	
	CD-ROM		6 MB/sec. Max.	
<b>Cache Buffer</b>	1.5 MB (Minimum)			
<b>Spin-up Time</b> (typical)	less than 10 seconds			
<b>MTBF</b>	125,000 Power On Hours (POH)			
<b>Ambient Temperature</b>	Operating	41° to 122° F (5° to 50° C)		
	Storage/Transportation	-40° to 140° F (-30° to 60° C)		



### Technical Specifications

#### HP Slim SATA DVD RW Optical Drive (including Jackblack)

<b>Shipping Dimensions</b> (H x W x D)	3.97 x 7.81 x 10.75 in (10.08 x 19.84 x 27.31 cm)		
<b>Drive Dimensions</b> (H x W x D)	0.5 x 5.2 x 5.45 in (1.27 x 13.2 x 13.8 cm)		
<b>Disk</b>	Applicable Disk	DVD-ROM DVD-R DVD-R DL DVD-RW DVD+R DVD+R DL DVD+RW DVD RAM CD-ROM XA CD-ROM Mode-1 data disc CD-ROM Mode-2 data disc CD Audio disc CD-Extra CD-RW CD-R Photo CD CD-I CD-DA	
	Capacity	DVD-ROM  DVD+/-R DVD +/-RW DVD RAM CD-ROM	DVD-SL DVD-DL Double Sided  Mode-1 Mode-2
	Block Size	DVD CD	4.7 GB/side 8.5 GB/side 9.40 GB  4.7 GB/side 4.7 GB/side 5.2 GB/side 650 MB (550 MB) 742 MB (640 MB)
	Diameter	120 mm, 80 mm (with adapter at vertical mounting mode)	
<b>Loading Mechanism</b>	Tray type Manual Load		
<b>Interface</b>	SATA 1.5		
<b>Access Times</b> (typical)	Random	DVD-ROM < 120 ms, CD-ROM < 110 ms	
	Full-Stroke	DVD-ROM < 250 ms, CD-ROM < 210 ms	
<b>Data Transfer Rate</b> (sustained)	DVD-ROM	Single Layer	10.8 MB/sec Max.
	CD-ROM		3.6 MB/sec Max.
<b>Cache Buffer</b>	1.5 MB (Minimum)		
<b>Spin-up Time</b> (typical)	less than 15 seconds		



### Technical Specifications

<b>MTBF</b>	60,000 Power On Hours (POH)	
<b>Ambient Temperature</b>	Operating	41° to 122° F (5° to 50° C)
	Storage/Transportation	-40° to 140° F (-30° to 60° C)

### HP 9.5mm SATA DVD RW Optical Drive (including Jackback)

**Shipping Dimensions** (H x W x D) 3.97 x 7.81 x 10.75 in (10.08 x 19.84 x 27.31 cm)

**Drive Dimensions** (H x W x D) 0.374 x 5.1 x 5.2 in (9.5 x 130 x 132 mm)

<b>Disk</b>	Applicable Disk	DVD-ROM DVD-R DVD-R DL DVD-RW DVD+R DVD+R DL DVD+RW DVD RAM CD-ROM XA CD-ROM Mode-1 data disc CD-ROM Mode-2 data disc CD Audio disc CD-Extra CD-RW CD-R Photo CD CD-I CD-DA		
		Capacity	DVD-ROM DVD-SL DVD-DL Double Sided DVD+/-R DVD +/-RW DVD RAM CD-ROM Mode-1 Mode-2	4.7 GB/side 8.5 GB/side 9.40 GB 4.7 GB/side 4.7 GB/side 5.2 GB/side 650 MB (550 MB) 742 MB (640 MB)
<b>Loading Mechanism</b>	Tray type Manual Load	Block Size	DVD	2,048 bytes
			CD	2,352 (Mode-0) 2352, 2340, 2336, 2048 bytes (Mode-1) 2352, 2340, 2336, 2048 bytes (Mode-2)
<b>Interface</b>	SATA 1.5			
<b>Access Times</b> (typical)	Random	DVD-ROM < 180 ms, CD-ROM < 150 ms		
	Full-Stroke	DVD-ROM < 250 ms, CD-ROM < 210 ms		



### Technical Specifications

<b>Data Transfer Rate</b> (sustained)	DVD-ROM	Single Layer	10.8 MB/sec Max.
	CD-ROM		3.6 MB/sec Max.
<b>Cache Buffer</b>	1 MB (Minimum)		
<b>Spin-up Time</b> (typical)	less than 15 seconds		
<b>MTBF</b>	60,000 Power On Hours (POH)		
<b>Ambient Temperature</b>	Operating	41° to 122° F (5° to 50° C)	
	Storage/Transportation	-40° to 140° F (-30° to 60° C)	

---

**Environment-friendly Products and Approach**      **End-of-life Management and Recycling**      Hewlett-Packard offers end-of-life HP product return, trade-in, and recycling programs in many geographic areas. For trade-in information, please go to: <http://www.hp.com/go/green>. To recycle your product, please go to: <http://www.hp.com/go/green> or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.

The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: <http://www.hp.com/go/green>. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.

---

© Copyright 2012 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice.

Microsoft and Windows are US registered trademarks of Microsoft Corporation.

The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

